Atty Docket No. 42479-8700

UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Patent Examiner:

Satoshi Nomura et al.

Group Art Unit: 1743

Serial No.: 10/510,050

Filed: May 3, 2005

For:

METHOD OF ESTIMATING RISK DENTAL

DECAY, APPARATUS OF ESTIMATING RISK

OF DENTAL DECAY, SYSTEM OF

ESTIMATING RISK OF DENTAL DECAY AND PROGRAM OF ESTIMATING RISK OF

DENTAL DECAY

December 1, 2006

Costa Mesa, California 92626

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In an attempt to fully comply with the duty of disclosure set forth in 37 C.F.R. § 1.56 and in conformance with 37 C.F.R. §§ 1.97 and 1.98, applicant wishes to bring to the attention of the U.S. Patent Office the following reference, which was found during the prosecution of a co-pending Japanese patent application:

> Japanese Patent Application Publication No. 11-47164 w/English translation Japanese Patent Application Publication No. 2002-56093 w/English translation Japanese Patent Application Publication No. 2002-73816 w/English translation Japanese Patent Application Publication No. 57-175129 w/English abstract

Saito, Junich et al., CARIES ACTIVITY TEST, Medical Technology Vol. 28, No. 12, November 2000, pp. 1361-1366

A copy of these references and form PTO-A820 are attached.

The undersigned attorney hereby certifies that each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing the information disclosure statement.

If the Examiner believes that a telephone conference would help further the prosecution of this case, he is respectfully requested to contact the undersigned attorney at the listed telephone number.

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patent, PO Box 1450, Alexandria, VA 22313-1450, on December 1, 2006 by Candy Neu

Signature

Date of Signature: December 1, 2006

Very truly yours,

SNELL & WILMER LLP

Joseph W. Price Reg. No. 25,124

600 Anton Boulevard, Suite 1400 Costa Mesa, CA 92626-7689

Tel: 714-427-7420 Fax: 714-427-7499

				Docket Number (Optional)		Application Number		
(Usa several sheets in necessary)				42479-8700		10/510,050		
ON THE	(Usa.	several sheets if necessal	ATION	Applicant(s)	•			
السعد	AS6	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	કે\	Satoshi Nomura et al.				
NOV 0 4 2006 %			Filing Date		Group Art Unit			
	ų. K.	1 / 200 0 .	- 3/ 1	5/3/2005		1743		
EXAMORIT	NOW.	3	U.	S. PATENT DOCUMENTS			FILD	C D A TET
INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	S FILING DATE IF APPROPRIATE	
		· ·						· .
U.S. PATENT APPLICATION PUBLICATIONS								
EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILIN IF APPE	G DATE ROPRIATE
•				· ·				
				 	-			
		,	: !					
		-		 				
					ł		•	
			FOR	EIGN PATENT DOCUMENTS				
	REF	DOCUMENT NUMBER	DATE	DATE COUNTRY		SUBCLASS.	Translation YES NO	
-		11-47164	1999.2.23	Japan			X	
		2002-56093	2002.2.20	Japan			X	
		2002-73816	2002.3.12	Japan			X	
		57-175129	1982.10.28	Japan w/English abstract only			· X	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)								
Coita Innich et al. CADIES ACTIVITY TEST Medical Technology Vol. 20 No. 12								
	Saito, Junich et al., CARIES ACTIVITY TEST, Medical Technology Vol. 28, No. 12, November 2000, pp. 1361-1366							
						,		
EXAMINER				DATE CONSIDERED				
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.								

Form PTO-A820 also form PTO-1449)

P09A/REV05

Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE